

# SAFETY DATA SHEET

Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

Product: Jelly Gel Wax

Section 1. Identification	
Product Name: Other names:	Jelly Gel Wax
Uses:	Candle Gel
Contact Information:	
Contact Information:	
Company name:	Budget Depot
Company address:	Address: 3 Woodlands Terrace, Edwardstown 5039
Email address:	hello@budgetdepot.com.au

## Section 2. Information of Ingredients

Name	CAS No.	Content %
White mineral oil	71808-29-2	90%
Jelly Powder		10%

### Section 3. Hazard Identification

Emergency overview: GHS Classification:	None No hazard classification
Label Elements:	
Pictogram:	No danger icon
Warning word:	Non-warning word
Hazard statements:	None

Precautionary Statements:	
Prevention measures:	None
Incident response:	None
Physical Chemistry Hazard:	None

Health Hazards:	Normal use, harmless to human body.
Storage method:	Keep cool
Disposal:	Dispose of contents/container in accordance with national regulation.
Environmental Hazard:	None

### Section 4. First Aid Measures

Inhalation Exposure:	If inhaled, remove to fresh air.
Skin Exposure:	In case of skin contact, take off contaminative cloths, flush with soap-suds and
	copious a mounts of water. If feel unwell, Call a physician.
Eye Exposure:	In case of contacting with eyes, lift the eyelids and flush with copious amounts of
	water for at least15 minutes. Immediate medical attention.
Oral Exposure:	Wash out mouth with water, no emesis. Immediate medical attention.



# SAFETY DATA SHEET

Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

Product: Jelly Gel Wax

Advice to protect the rescuer:	Move the patient to a safe place. Consult a doctor. Show this chemical safety technical manual to your doctor.
Section 5. Fire Fighting Me	easures
Extinguishing Media:	Extinguish fire with water mist, dry powder, foam or carbon dioxide extinguishing agent, avoid using direct running water to extinguish the fire, which may cause splashing of flammable liquid and spread the fire.
Special Hazardous:	No data
Fire precautions and Protective measures:	Fire personnel should wear air breathing apparatus, wear full fire clothing, and fight fire up wind. Move the containment from the fire to an open area as much as possible. If the container in the fire is discoloured or emits a sound from the safety relief device, need to evacuate immediately, no unrelated personnel are allowed to enter. Contain and treat fire water to prevent environmental pollution.

#### Section 6. Accidental Release Measures

Protective measures for operators, protective equipment and emergency procedures: It is recommended that emergency personnel wear air breathing apparatus, anti-static clothes, and rubber oil-resistant gloves. Do not touch or cross spills. All equipment used during operation should be grounded. Do not use equipment and tools that may cause sparks. Cut off the source of leakage as much as possible. Eliminate all ignition sources. Delimit the warning zone according to the affected area of liquid flow, steam or dust diffusion, and disperse irrelevant personnel from crosswind or upwind to safety the whole district. Environmental protection measures: contain leaks to avoid polluting the environment. Prevent spills from entering sewers, surface water and groundwater.

Containment and removal methods of leaking chemicals and disposal materials used: Small amount of leakage: Collect the leaking liquid in a sealable container as much as possible. Absorb with sand, activated carbon or other inert material and transfer to a safe place. Do not flush down the drain.

Environmental protection measures:	Contain leaks to avoid polluting the environment. Prevent spills from entering sewers, surface water and groundwater Containment and removal methods of leaking chemicals and disposal materials used.
Small amount of leakage:	Collect the leaking liquid in a sealable container as much as possible. Absorb with sand, activated carbon or other inert material and transfer to a safe place. Do not flush down the drain

#### Section 7. Handling and storage

Operators should be specially trained and strictly follow the operating procedures. Handling should be carried out in places with local ventilation or full ventilation facilities. Avoid eye and skin contact and avoid inhaling steam. When handling, light loading and unloading should be done to prevent damage to packaging and containers. Empty containers may have harmful residues. Wash hands after use. Do not eat or drink in the workplace. Equipped with the corresponding variety and quantity of fire equipment and leakage emergency treatment equipment.

Storage Precautions:Store in a cool, ventilated warehouse. The storage temperature should not exceed<br/>37°C. It should be stored separately from oxidants and edible chemicals, and should<br/>not be mixed keep the container sealed. Keep away from fire and heat. The exhaust



## SAFETY DATA SHEET

Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

Product: Jelly Gel Wax

system should be equipped with a grounding device to remove static electricity. Explosion-proof lighting and ventilation Settings are adopted. The storage area should be equipped with leak emergency treatment equipment and suitable containment materials.

#### Section 8. Exposure controls/personal protection

Maximum permissible concentration:	China MAC: No standard.	
Former Soviet Union MAC:	No standard.	
American TWA:	10mg/m3	
Monitoring method:	No data	
Engineering control:	Closed operation, pay attention to ventilation.	
Respiratory protection:	No data available.	
Eye protection:	Wear chemical safety glasses.	
Body protection:	Wear general work protective clothing.	
Hand protection:	Wear general work protective gloves.	
Other protection:	Timely change of work clothes. Pay attention to personal hygiene.	
Section 9. Physical and Chemical Properties		
Appearance and character: Melting point (°C): Molecular weight: Density (molten state): Boiling point:	Transparent jelly-like No data available No data available No data available No data available	

### Section 10. Stability and reactivity

Stability: Aggregation hazards:	Stable at room temperature No data available
Conditions	
to avoid contact:	No data

#### Section 11. Toxicological Information

Acute toxicity (LD50):	No data
LC50):	No data
Subacute and	
chronic toxicity:	No data available
Stimulating:	No data
Sensitization:	No data available
Cause of surprise:	No data



Issue date: 24/07/2025 Version: 1 (06/05/2023)

## SAFETY DATA SHEET

Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

Product: Jelly Gel Wax

Teratogenicity: Carcinogenicity:	No data available No data available
Section 12. Ecological Info	ormation
Toxicity:	No data available.
Persistence and Degradability:	No data available.
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
Other Adverse Effects:	No data available.
Section 13. Disposal Cons	iderations
Nature of waste:	No data available
Waste disposal methods:	Relevant national and local regulations should be referred to before disposal.
Note of abandonment:	No data
Section 14. Transport Info	rmation
Dangerous Goods Number:	No information available
UN Number:	No data available
Packing mark:	No information available
Package Category:	Z01
Packing method:	No information available
Transportation precautions:	The packaging should be complete and the loading should be secure. During transportation, it is necessary to ensure that the container does not leak, collapse, fall or damage. Strictly oxygen Chemical agents and other mixed loading and transportation. The transportation process should be explosion-proof sun, rain, high temperature

#### Section 15. Regulatory Information

No data.

#### Section 16. Other Information

This information presented here is believed to be accurate and pertains only to the product when stored in a sealed condition, as prescribed above, the information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure what information is appropriate



## SAFETY DATA SHEET

Regulation 330 Schedule 7 as per Safe Work SA WHS Regulations

Product: Jelly Gel Wax

and complete for his special use of this product. Manufacturer shall in no way be liable for any claims, losses and damages of any third party, or for lost profits, or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, from the use of this product.